

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| S1    | 0    | atherton-scott.IN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:30 |
| S2    | 358  | 192/105C.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:30 |
| S3    | 23   | clutch adj lockout  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:38 |
| S4    | 19   | clutch adj lockout  | USOCR                                       | OR               | ON      | 2004/10/26 09:36 |
| S5    | 12   | clutch SAME (boss and bolt and cut\$out)                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:39 |
| S6    | 124  | clutch SAME (boss and bolt and cut\$out)                        | USOCR                                       | OR               | ON      | 2004/10/26 09:38 |
| S7    | 189  | 474/14.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:39 |
| S8    | 234  | 192/70.29.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:40 |
| S9    | 6    | (Honda.AS. or Banshee.AS.) and centrifugal and ATV              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:43 |
| S10   | 76   | (clutch adj (lockout or cover)) and post                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:44 |
| S11   | 12   | ((clutch adj (lockout or cover)) SAME post) and (bolt or screw) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:44 |
| S12   | 16   | ((clutch adj (lockout or cover)) SAME post) and (bolt or screw) | USOCR                                       | OR               | ON      | 2007/01/04 08:45 |
| S13   | 307  | 192/99A.ccls.   | USOCR                                       | OR               | ON      | 2004/10/26 13:29 |
| S14   | 420  | 192/99A.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/01/04 08:45 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S15 | 0    | (post NEAR4 recess) WITH ((screw or bolt) NEAR accommodate\$)                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:46 |
| S16 | 272  | (recess) WITH ((screw or bolt) NEAR accommodate\$)                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:46 |
| S17 | 5175 | ((screw or bolt) NEAR accommodate\$)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:48 |
| S18 | 4    | ( ((screw or bolt) NEAR accommodate\$)) and (reduce adj dimension)                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:49 |
| S19 | 9    | ( ((screw or bolt) NEAR accommodate\$)) and (reduc\$2 adj dimension)                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:49 |
| S20 | 157  | ( ((screw or bolt) NEAR accommodate\$)) and clutch                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:50 |
| S21 | 11   | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and clutch          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:50 |
| S22 | 2    | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "192"/\$7.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:51 |
| S23 | 2    | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "188"/\$7.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:51 |
| S24 | 2    | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "192"/\$7.ccls. | USOCR                                       | OR | ON | 2007/01/04 08:52 |
| S25 | 1    | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "188"/\$7.ccls. | USOCR                                       | OR | ON | 2004/10/26 15:13 |
| S26 | 281  | (recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:52 |
| S27 | 184  | (recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)                       | USOCR                                       | OR | ON | 2004/10/26 15:27 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S28 | 159 | "192"/\$7.ccls. and flange and ((recess or indent\$5) WITH accommodate\$) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:53 |
| S29 | 0   | atherton-scott.IN. and @pd>"20041026"                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 12:40 |
| S30 | 2   | (clutch adj lockout) and @pd>"20041026"                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 12:42 |
| S31 | 0   | (clutch SAME (boss and bolt and cut\$out)) and @pd>"20041026"             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 12:44 |
| S32 | 3   | ((Honda.AS. or Banshee.AS.) and centrifugal and ATV) and @pd>"20041026"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 12:45 |
| S33 | 4   | (clutch adj (lockout or cover)) and post and @pd>"20041026"               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 12:46 |
| S34 | 6   | (recess) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20041026"     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 12:51 |
| S35 | 5   | 474/14.ccls. and @pd>"20041026"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 13:00 |
| S36 | 0   | 192/70.29.ccls. and @pd>"20041026"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 13:04 |
| S37 | 2   | 192/105C.ccls. and @pd>"20041026"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 13:05 |
| S38 | 2   | 192/99A.ccls. and @pd>"20041026"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 13:25 |
| S39 | 0   | 192/70.29.ccls. and @pd>"20041026"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 14:44 |

## EAST Search History

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S40 | 187 | clutch adj (lockout or ((support or backing) adj plate))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 15:20 |
| S41 | 74  | S40 and bolts  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/18 15:23 |
| S42 | 352 | 192/70.3.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT           | OR | ON | 2006/08/30 07:17 |
| S43 | 12  | ("2107954"   "2111721"   "2743805"   "3334716"   "3580372"   "4298112"   "5361882"   "5597060").PN. OR ("5785163").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR                          | OR | ON | 2005/03/18 15:38 |
| S44 | 519 | ((screw or bolt) WITH (recess\$2 NEAR accommodate\$))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT           | OR | ON | 2005/03/21 07:54 |
| S45 | 874 | ((screw or bolt) WITH (recess\$2 NEAR accommodate\$))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/21 07:54 |
| S46 | 355 | S45 not S44  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/03/21 07:54 |
| S47 | 27  | clutch adj lockout   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT           | OR | ON | 2006/03/10 15:23 |
| S48 | 0   | atherton-scott.IN.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT           | OR | ON | 2006/03/10 15:27 |
| S49 | 34  | ("1035535"   "1743170"   "2107954"   "2111721"   "2743805"   "3334716"   "3580372"   "4111291"   "4298112"   "4566577"   "4732251"   "4856637"   "4986403"   "4989711"   "5033598"   "5361882"   "5597060").PN. OR ("5361882"   "5785163").URPN. | US-PGPUB;<br>USPAT;<br>USOCR                          | OR | ON | 2006/08/29 13:17 |

## EAST Search History

|     |    |   |  |    |    |                  |
|-----|----|---|--|----|----|------------------|
| S50 | 21 | ("4111291"   "4732251"   "4856637"   "4986403"   "4989711").PN. OR ("5033598").URPN.  | US-PGPUB;<br>USPAT;<br>USOCR                         | OR | ON | 2006/08/29 13:23 |
| S51 | 0  | atherton-scott.IN. and @pd>"20050318"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:06 |
| S52 | 0  | atherton-scott.IN. and @pd>"20050318"   | US-PGPUB;<br>USPAT;<br>FPRS;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/08/30 07:07 |
| S53 | 5  | 192/105C.ccls. and @pd>"20050318"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:07 |
| S54 | 2  | clutch adj lockout and @pd>"20050318"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:08 |
| S55 | 3  | (clutch SAME (boss and bolt and cut\$out)) and @pd>"20050318"                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:10 |
| S56 | 5  | 474/14.ccls. and @pd>"20050318"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:10 |
| S57 | 2  | 192/70.29.ccls. and @pd>"20050318"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:12 |
| S58 | 5  | 192/99A.ccls. and @pd>"20050318"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:12 |
| S59 | 19 | (recess) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20050318"                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:13 |
| S60 | 0  | ( ((screw or bolt) NEAR accommodate\$)) and (reduce adj dimension) and @pd>"20050318" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:14 |
| S61 | 19 | ( ((screw or bolt) NEAR accommodate\$)) and clutch and @pd>"20050318"                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT          | OR | ON | 2006/08/30 07:14 |

## EAST Search History

|     |   |   |   |    |    |                  |
|-----|---|---|---|----|----|------------------|
| S62 | 1 | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and clutch and @pd>"20050318" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/08/30 07:16 |
| S63 | 8 | "192"/\$7.ccls. and flange and ((recess or indent\$5) WITH accommodate\$) and @pd>"20050318"    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/08/30 07:16 |
| S64 | 4 | 192/70.3.ccls. and @pd>"20050318"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/08/30 07:17 |
| S65 | 8 | (Honda.AS. or Banshee.AS.) and centrifugal and ATV and @pd>"20050318"                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/08/30 07:18 |
| S66 | 0 | atherton-scott.IN. and @pd>"20060830"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:30 |
| S67 | 4 | 192/105C.ccls. and @pd>"20060830"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:30 |
| S68 | 1 | (clutch adj lockout) and @pd>"20060830"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:38 |
| S69 | 1 | (clutch SAME (boss and bolt and cut\$out)) and @pd>"20060830"                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:39 |
| S70 | 2 | 474/14.ccls. and @pd>"20060830"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:40 |
| S71 | 1 | 192/70.29.ccls. and @pd>"20060830"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:40 |
| S72 | 3 | (Honda.AS. or Banshee.AS.) and centrifugal and ATV and @pd>"20060830"                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:43 |
| S73 | 2 | (clutch adj (lockout or cover)) and post and @pd>"20060830"                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:44 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S74 | 0   | ((clutch adj (lockout or cover))<br>SAME post) and (bolt or screw) and<br>@pd>"20060830"                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:44 |
| S75 | 0   | ((clutch adj (lockout or cover))<br>SAME post) and (bolt or screw) and<br>@pd>"20060830"                          | USOCR                                       | OR | ON | 2007/01/04 08:45 |
| S76 | 0   | 192/99A.ccls. and<br>@pd>"20060830"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:45 |
| S77 | 0   | (post NEAR4 recess) WITH ((screw<br>or bolt) NEAR accommodate\$) and<br>@pd>"20060830"                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:46 |
| S78 | 4   | (recess) WITH ((screw or bolt)<br>NEAR accommodate\$) and<br>@pd>"20060830"                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:46 |
| S79 | 132 | ((screw or bolt) NEAR<br>accommodate\$) and<br>@pd>"20060830"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:48 |
| S80 | 0   | ( ((screw or bolt) NEAR<br>accommodate\$)) and (reduce adj<br>dimension) and @pd>"20060830"                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:49 |
| S81 | 0   | ( ((screw or bolt) NEAR<br>accommodate\$)) and (reduc\$2 adj<br>dimension) and @pd>"20060830"                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:49 |
| S82 | 2   | ( ((screw or bolt) NEAR<br>accommodate\$)) and clutch and<br>@pd>"20060830"                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:50 |
| S83 | 0   | ((recess or indent\$5) WITH ((screw<br>or bolt) NEAR accommodate\$)) and<br>clutch and @pd>"20060830"             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:50 |
| S84 | 0   | ((recess or indent\$5) WITH ((screw<br>or bolt) NEAR accommodate\$)) and<br>"192"/\$7.ccls. and<br>@pd>"20060830" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:51 |
| S85 | 0   | ((recess or indent\$5) WITH ((screw<br>or bolt) NEAR accommodate\$)) and<br>"188"/\$7.ccls. and<br>@pd>"20060830" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:51 |

## EAST Search History

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S86 | 4   | ((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20060830"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:52 |
| S87 | 2   | "192"/\$7.ccls. and flange and ((recess or indent\$5) WITH accommodate\$) and @pd>"20060830"                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 08:55 |
| S88 | 0   | ((clutch adj cover) and (plate-like adj body) and posts and opening and screws and indent and (positioned adj closely)).clm. | US-PGPUB                                    | OR | ON | 2007/01/04 08:56 |
| S89 | 120 | 192/89.26.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/01/04 09:36 |